References:

1. USFDA, Code of Federal Regulation,(**2011),** *Part 211–Current Good Manufacturing Practice for Finished Pharmaceuticals* , Vol.4
2. ICH, Harmonised Tripartite Guideline ,(**2005)** ,*Stability Testing of New Drug substances and products* Q1A(R2) , 2
3. John A. A., **1997**, *Chromatographic Analysis of Pharmaceuticals* , Second Edition, 135
4. United State Pharmacopeia,(**2011)**, <621> *Chromatography*. 34
5. Agilent Technologies, Inc.,(**2009)** *HPLC Basic Fundamental of Liquid Chromatography* , 1-35
6. Ardrey B,**(2003)**,*Liquid Chromatography –Mass Spectrometry: An introduction* ,10-17
7. Rayanam V, Lakshmana Rao A and Ramana V,(**2011)**" Development and Validation of LC Method for the Estimation of Glipizide in Pharmaceutical Dosage Form and Serum." *International Journal Of Research In Pharmacy and Chemistry*, 1(1),50-54
8. Deshmukh S.,Havele S., Musale V Dhaneshwar S.,(**2010)**, "Development and Validation of RP-HPLC method for simultaneous estimation of Alfuzosin Hydrochloride and Dutasteride in pharmaceutical dosage form", *Scholars Research Library*, 2(6),342-349
9. Basu A, Chakraborty K., Rawat I,(**2011)**, "Simultaneous RP-HPLC Estimation of Levocetirizine Hydrochloride and Montelukast Sodium in Tablet Dosage Form Analytical Method Development and validation for estimation of Ezetimibe from Tablet Dosage Form Using RP – HPLC" , *International Journal of PharmTech Research* ,(3.1) , 405-410
10. Ahhirrao,V, Sangale D, Sonekar V, Thorat V, Marathe R. , Nawale R. and Pawar R., (**2011)**,"Stability Indicating RP –HPLC Method for Determination of Guanfacine Hydrochloride in Bulk Drugs and in Pharmaceutical Dosage Form" ,*International Journal of Industrial Chemistry*,2,69-77

11. Karger B.L, Martin M, Guiochon G,(**1974)**,"Role of column parameter and injection volume on detection limit in liquid chromatography" *Anal.Chem*, 1640,
12. Snyder R., Kirkland JJ, Glajchl JI.,(**1988)**, *Practical HPLC Method Development* , John Wiley and Sons, New York;3:2, 2-21
13. Radisavljevic M,(**2001)**, SGE ,Technical Article : *How do I Develop an HPLC Method* , 1-2
14. Ahuja S, and Rasmussen H.(**2007)**, *HPLC Method Development For Pharmaceuticals*, (8),15-22.
15. Bhatt D.,Rane S.,(**2011)** "QbD Approach to analytical Method Development and its Validation" , *International Journal Of Pharmaceutical Sciences* , (3.I),179-187
16. ICH, Harmonised Tripartite Guideline, **(2005)**, *Validation of Analytical Procedures : Text and Methodology* Q2(R1), 1-13
17. USFDA, Centre For Drug Evaluation and Research, Reviewers Guidance,(**1994)** , *Validation of Chromatographic Methods* , 1-29
18. Lloyd S , Kirkland J.J., Glajch J.,(**1997)**, *Practical HPLC Method Development* , Second Edition , 685-712.
19. Lehr k , Damm P , (**1990)** Chromatography 526:497-505
20. Roston A., Shoup R. ,and Kissinger P.T,(**1982),**"Liquid Chromatography/ Electrochemistry Thin layer multiple electrode detection "*Anal.Chem*,54,1417A.
21. Katz E, Ogan and Scoot R.p.w, (**1984)** " LC column Design" *J Chromatgr*.289:65.

22. Baldani S., Bhatt K., Mehta R., Shah D. Gandhi T.,(**2008)** ,"RP-HPLC Estimation of Venlafaxine Hydrochloride in Tablet Dosage Forms*", Indian Journal of Pharmaceutical Sciences,*70(1),124-128

23. Mandloi D., Rai V., Dey S., Tyagi P., Asahda R., Mahonraj P., Agrawal A.,(**2009)**, "Method Development and Validation of RP-HPLC Method in the detection of

Nevirapine in Bulk Drug and Tablet formulation and Application in *In Vitro* dissolution Study", *Journal of Global Pharma Technology* ,54-61

24. Shrivastava A., Nagori B.,(**2010)**,"Stability Indicating High Performance Liquid Chromatography Method for the Estimation of Artemether in Capsule Dosage Forms", *Journal of Young Pharm*.,2(1),79-84

25. Bakshi M., Singh S.,(**2002)**,"Development of Validated Stability Indicating assay methods critical review", *Journal of Pharma biomedical analysis*,28,1011-1040.

26. Chaturvedi PK, Sharma R.,(**2008),** Development and Validation if an RP-HPLC method for simultaneous analysis of a three component table formulation containing Metformin Hydrochloride, Pioglitazone and Glibenclamide" , *Acta Chromatographica 20,451-461.*

27. Lad NR ,Bhoir C,Sundaresan M, **(2003)**, "Concurrent assay of Metformin and Glimeperide in Tablets using RP-HPLC with wavelength programming". *Journal of Pharmaceutical Sciences 65*,650-653

28. Jing Y ,Ya-Qin S, Zhuo-Rong Li,Shao-Hong J,**(2005),** "Development of RP-HPLC method for screening potentially counterfeit ant diabetic drugs" *J Chromatogr B Analyt Technol Biomed Life Sci* B 853,254-259

29. Wanjari DB, Gaikwad NJ, **(2005)** "Reversed Phase HPLC Method for Determination of Glimeperide in Tablet Dosage form".*Journal of Pharmaceutical sciences 67*,253-255

30. Lakshmi KS , Rajesh T,Sharma S,**(2009)**,"Determination of Pioglitazone and Glimeperide in pharmaceutical formulations and Rat plasma by RP-LC*". International Journal of PharmTech 1,* 496-499

31. Khan MA, Sinha S, Vartak S, Bharatiya A, Kumar S **(2005),** "LC determination of Glimeperide and its related impurities", *J Pharm Biomed Anal 39*,928-943.